



uni-power

ENGINES • TRANSMISSIONS • PARTS

TEL: 01371 875331 www.uni-power.co.uk

Pre-Season Program 2024

YOU.POWERED.™

ENGINECARE™



992230

450 SERIES™, 550 SERIES™, CLASSIC™, SPRINT™



992231

450E SERIES™, 500E SERIES™



992232

550E SERIES™, 575EX SERIES™, 550EX SERIES™ ECO-PLUS™



992244

625 SERIES™, 650 SERIES™, 675 SERIES™, QUANTUM®



992234

700 SERIES™, 750 SERIES™, 750 SERIES™ I/C*, DOV®, DOV® I/C*



992235

800 SERIES™, 850 SERIES™, 850 SERIES™ I/C*, 875 SERIES™



992240

VANGUARD™ V-TWIN MODEL 29, 30, 35 14HP – 20HP*



992242

MODEL 21, SERIES 3 POWERBUILT™, INTEK™ I/C* OHV 21R5, 21R6, 21R7, 21R8



992243

MODEL 31, SERIES 4 INTEK™ I/C* OHV 31R7, 31R8, 31R9

FUEL FIT®



992380 / 992380FR

100ml



992381 / 992381FR

250ml



ENGINE OIL

	100004E 0,5 L			100048E 200 L	
	100005E 0,6 L			100007W 1 L Winter Oil	
	100007E 1 L			100007S 1 L Premium Oil	
	100006E 1,4 L			100009S 5 L Premium Oil	
	100008E 2 L			100007V 1 L Commercial Grade Oil	
	100009E 5 L			100009V 5 L Commercial Grade Oil	
	100046E 25 L			100047V 60 L Commercial Grade Oil	
	100047E 60 L		FOR PRE-SEASON OIL PRICE, PLEASE CONTACT YOUR BRIGGS & STRATTON DISTRIBUTOR.		

SPARK PLUG SELECTION

SMALL VERTICAL	PRODUCT RANGE	MODEL NUMBERS	SPARK PLUG REQUIRED
SERIES	450, 500, 550	09T5, 10T5, 10T6, 10T8	992300C (BS-SV-Cu)
E-SERIES	450E, 500E, 550E, 575EX, 550EX ECO PLUS™, 625E	08P5, 09P6, 09P7, 093J	692051*
SERIES / E-SERIES	625, 650, 675, 650 ECO PLUS™, 625E, 650E, 675EX, 650EX ECO PLUS™	122T, 124T, 126T, 124L	992300C (BS-SV-Cu)
EXi-SERIES / iS-SERIES	650EXi, 675EXi, 675iS INSTANT®	103M, 104M	992304 (BS-OHV)
SERIES DOV® / E-SERIES DOV®	700, 700E	0906	992304 (BS-OHV)
SERIES DOV® / E-SERIES DOV® / iS-SERIES	750, 750EX, 750EX ECO PLUS™, 775iS INSTANT®	1006	992304 (BS-OHV)
SERIES DOV® I/C® / E-SERIES DOV® I/C®	750EX	1008	992304 (BS-OHV)
SERIES / E-SERIES	800, 800E	11P9, 112P	992304 (BS-OHV)
SERIES	850, 875, 850 ECO PLUS™	12R9, 12S9, 122S, 122R	992304 (BS-OHV)
E-SERIES / iS-SERIES	850E, 875EX, 850EX ECO PLUS™, 875iS INSTANT®	12R9, 12S9, 122S, 122R, 111P	992304 (BS-OHV)
E-SERIES / iS-SERIES	800EXi, 850E, 875EXi, 875iS INSTANT®	115P, 123P, 125P	692051*
SERIES I/C® / E-SERIES I/C®	850	12Q9, 122Q	992304 (BS-OHV)
E-SERIES	950	14B9	992304 (BS-OHV)

LARGE VERTICAL	PRODUCT RANGE	MODEL NUMBERS	SPARK PLUG REQUIRED
POWER BUILT™ OHV	10.5, 11.5, 12.5, 13.5	2158, 2178, 2198, 21B8, 21R5, 21R6, 21R7, 21R8	992304 (BS-OHV)
POWER BUILT™ OHV	14.5, 15.5, 16.5	31A5, 31A6, 31A7, 31R5, 31R6, 31R7, 31R8	992304 (BS-OHV), 992306 (BS-OHV-HT)
POWER BUILT™ OHV	17.5, 18.5	31C7, 31N7	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ OHV	13.5	21B9, 21R8	992304 (BS-OHV)
INTEK™ OHV	17.5, 18.5, 19.5	31G7, 31P7, 31P6, 31R7, 31R8, 31R9	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ OHV	21.0	3318, 33R8	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ V-TWIN OHV	16.0, 18.0, 20.0, 22.0	4015, 4055, 4067, 4077, 40R5, 40R6, 40N7, 40N8	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ V-TWIN OHV	23.0, 24.0	4455, 4456, 44N6, 44N8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ OHV	21.0	33M7, 33S8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ V-TWIN OHV	20.0, 22.0	40G7, 40H7, 40U7, 40U8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ V-TWIN OHV	23.0, 24.0, 27.0	44L7, 44M7, 44U5, 44U6, 44U8, 44C8	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	14.0, 16.0	2957, 3057	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	18.0, 20.0	3567, 3587	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	23.0	3867	992304 (BS-OHV), 992306 (BS-OHV-HT)

HORIZONTAL	PRODUCT RANGE	MODEL NUMBERS	SPARK PLUG REQUIRED
SERIES OHV	550	0831	797235*
SERIES OHV	750	1062	992304 (BS-OHV)
SERIES OHV	800, 900	1263, 1210	992304 (BS-OHV)
SERIES OHV	1450	2043	992304 (BS-OHV)
VANGUARD™ OHV	4.0	0864	992304 (BS-OHV)
VANGUARD™ OHV	5.5, 6.5	13H1, 13H3	992304 (BS-OHV)
VANGUARD™ OHV	7.5	1384	992304 (BS-OHV)
VANGUARD™ OHV	8.0, 10.0	19H1, 19H2	992304 (BS-OHV)
VANGUARD™ OHV	13.0	2454	992304 (BS-OHV)
VANGUARD™ V-TWIN OHV	14.0, 16.0	2954, 3054	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	18.0	3564	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	21.0, 23.0	3854, 3864	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ BIG BLOCK™ V-TWIN OHV	25.0, 27.0, 29.0, 31.0	5404, 5414, 5424, 5434	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ BIG BLOCK™ V-TWIN OHV	33.0, 35.0	6114, 6134	992304 (BS-OHV), 992306 (BS-OHV-HT)

SPARK PLUGS



992300C
BS-SV-Cu

x1



992301C
BS-SV-Cu

x24



992304
BS-OHV

x1



992340
BS-OHV

x24



992306
BS-OHV-HT

x1

BS-SV-Cu: BRIGGS & STRATTON SIDE VALVE (COPPER CORE)
BS-OHV: BRIGGS & STRATTON OVERHEAD VALVE
BS-OHV-HT: BRIGGS & STRATTON OVERHEAD VALVE HIGH TEMPERATURE

450 SERIES™ | 500 SERIES™ | 550 SERIES™

CLASSIC™, SPRINT™, QUATTRO™ – 09x5, 09x9, 10x5, 10T6, 10x8, 10x9

			
 272235S 4107	 x1  272235S x6	 281505S 4204	 x2  281505S x5
 698369 4216	 x1  698369 x6	 499901	 x1
 694394 4178	 x1  694394 x5	 692299	 x1
 795083 4251	 x1  795083 x10	 790965 62m, Ø 3,2mm	 x1
 497929S 4132	 x1  497929S x5	 493880S	 x1
 270344S	 x1	 66538S	 x1
 697316	 x1	 222698S 4181 4144	 x1  222698S x10  222698S x50
 281434S	 x1	 992230 ENGINE CARE 450 SERIES™, 550 SERIES™, CLASSIC™, SPRINT™	 x1

450E SERIES™ | 500E SERIES™ | 550E SERIES™ | 575EX SERIES™ | 575iS SERIES™



08P5, 08P6, 09P6, 09P7, 09P8, 092J



	593260			594281	
	4247				
	593260M				
	799579				
	4248			270344S	
	799579M				
	591108			692076	
	799585			281434S	
	799580			799716	
	799587			222698S	
				4181	
				4144	
	692046			992231	
	4221			992232	
	596250		ENGINE CARE 450E SERIES™, 500E SERIES™		
			ENGINE CARE 550E SERIES™, 575EX SERIES™, 550EX SERIES™ ECO-PLUS		

625E SERIES™ | 650E SERIES™ | 675EX SERIES™
QUANTUM® – 12xx



	491588S 4101 491588L	  		791850 4171 4229	  	Ø 13mm 791850 791850
	398188			698183		
	498260			692046 4221	 	692046
	694395 4180	 		270344S		
	298090S 4105	 		399781S		
	395051R 7,5m – Ø int. 6,35mm, Ø ext. 11mm			692232 4182	 	692232
	691038 4230	 		693981		
	792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm			795629 4156	 	795629



280399S



799716



281434S



493880S



281505S



66538S



4204

281505S A small icon of a box with the number '5' inside, indicating five units.



498144



222698S



4181

222698S A small icon of a box with the number '10' inside, indicating ten units.

4144

222698S A small icon of a box with the number '50' inside, indicating fifty units.



790965

62m, Ø 3,2mm



**992244
ENGINE CARE**

625 SERIES™, 650 SERIES™, 675 SERIES™, QUANTUM™



692299



625EXi SERIES™ OHV
093J



	593260 4247 593260M	  		792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm	
	595191			791850 Ø 13mm 4171 791850 4229 791850	  
	591108			692076	
	799585			281434S	
	799580			222698S 4181 4144	 222698S  222698S 
	799587				
	692046 4221	 			

650EXi SERIES™ | 675EXi SERIES™ | 675iS SERIES™
103M, 104M



593260
4247
593260M

x1

593260 x5

593260 x25



791850
4171
4229

Ø 13mm x1

791850 x5

791850 x100



595191

x1



692076

x1



591108

x1



281434S

x1



799580

x1



222698S
4181
4144

x1

222698S x10

222698S x50



799587

x1



596206

x1



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm

x1

700E SERIES™ | 750EX SERIES™ | 775iS SERIES™

DOV® - 0906, 1006, 1008

		
	792038 4245	 792038 
	793676 4267	 793676 
	298090S 4105	 298090S 
	395051R 7,5m – Ø int. 6,35mm, Ø ext. 11mm	 x1
	691038 4230	Ø 11mm  691038 
	792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm	 x1
	791850 4171 4229	Ø 13mm  791850  791850 
	698183	 x1
	692046 4221	 692046 
	399781S	 x1
	691894	 x1
	280399S	 x1
	281434S	 x1
	790965 62m, Ø 3,2mm	 x1
	799716	 x1
	493880S	 x1



222698S

4181

4144



222698S



222698S



66538S



992234

ENGINE CARE

DOV*, DOV* I/C*, 700 SERIES™, 750 SERIES™,
750 SERIES™ I/C*



VANGUARD

ENGINE APPROVED

POWERING PERFORMANCE
**IN THE TOUGHEST
CONDITIONS.**

Fully Synthetic Commercial Grade
Engine Oil 15W-50 API-SN.

Use the commercial grade engine oil that is as tough as the conditions you may encounter.

- > Reduced oil consumption.
- > Longer oil life.
- > Anti-wear protection.
- > For operating temperatures up to 50°C.
- > Cold starting as low as -10°C.*



#100007V

#100009V

*For use at lower temperatures use Briggs&Stratton® winter oil SAE10W API-SN/CF.
Also available in a 50L drum.

800E SERIES™ | 850E SERIES™ | 875EX SERIES™ | 875iS SERIES™

11P9, 12R9, 12S9, 12Q9, 121R, 111P

			
	795066 4240	 	
		 	692046 4221
		795066	692046
	796254 4261	 	
		796254	399781S
	298090S 4105	 	
		298090S	691894
	395051R 7,5m – Ø int. 6,35mm, Ø ext. 11mm		
			692232 4182
			692232
	691038 4230	Ø 11mm  	
		691038	280399S
	792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm		
			281434S
	791850 4171 4229	Ø 13mm   	
		791850	790965
		791850	62m, Ø 3,2mm
	698183		
			799716



493880S



795990



66538S



**992235
ENGINE CARE**

800 SERIES™, 850 SERIES™, 850 SERIES™ I/C*,
875 SERIES™



222698S



4181

222698S



4144

222698S




Genuine parts matter.

Briggs & Stratton® Genuine Parts
are guaranteed to fit and built to last.

Preferred. Proven. **Guaranteed.**

800EXi SERIES™ | 850PXi SERIES™ | 875EXi SERIES™ | 875iS SERIES™
115P, 123P, 125P



	595853			792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm	
	597266			791850 Ø 13mm	
			4171	791850	
			4229	791850	
	799580			281434S	
	222698S			591108	
	4181	222698S			
	4144	222698S			
	692232			596206	
	4182	692232			
	399781S			698183	
	692076			795990	

950PXi SERIES™

14B9, 14D9



795066



4240



692046



4221



796254



4261




399781S



298090S



4105




691894



395051R

7,5m – Ø int. 6,35mm, Ø ext. 11mm



692232



4182



691038



4230



281434S



697316



493880S



66538S



795990



698183



INTEK™ INTEK™ PRO

12x6



697029

x1

4207

697029 x4



792020

x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



273356S

x1

4201

273356S x5



791850

Ø 13mm x1

4171

791850 x5

4229

791850 x100



398188

x1



698183

x1



694395

x1

4180

694395 x5



692046

x1

4221

692046 x5



298090S

x1

4105

298090S x5



399781S

x1



692513

x1



691894


x1



395051R

x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



692232

x1

4182

692232 x10



691038

Ø 11mm x1

4230

691038 x100



693981

x1



280399S



790965

62m, Ø 3,2mm



281434S



799716



281505S



493880S



4204

281505S



498144



66538S



692299



222698S



4181

222698S



4144

222698S



550 SERIES™ | XR 3,5

0831



	796970 4238	 796970 		794641	
	394358S 4112	 394358S 		280399S	
	797346			691915	
	395051R 7,5m – Ø int. 6,35mm, Ø ext. 11mm			790965 62m, Ø 3,2mm	
	691038 4230	Ø 11mm  691038 		797658	
	792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm			797325	
	791850 4171 4229	Ø 13mm  791850  791850 		797286	

750 SERIES™ | XR 5,0
1062



590601



691915



590602



790965

62m, Ø 3,2mm



395051R

7,5m – Ø int. 6,35mm, Ø ext. 11mm



797658



691038

Ø 11mm



794641



4230

691038



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm



797346



791850

Ø 13mm



4171

791850



4229

791850



394358S



4112

394358S



280399S




590716




800 SERIES™ | 900 SERIES™
POWERBUILT™ – 1263, 1210



	491588S 4101 491588L	  		281434S	
	493537S 4147	 		281505S 4204	 
	398188			498144	
	792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm			692299	
	791850 4171 4229	  		790965 62m, Ø 3,2mm	
	795027			798619	
	281370S 4203	 		281658S	
	693981				

1350 SERIES™ | 1450 SERIES™
INTEK™, INTEK™ I/C® – 2013, 2043



	491588S 4101 491588L	  		498144 
	792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm			692299 
	791850 4171 4229	Ø 13mm  791850  791850 		790965 62m, Ø 3,2mm 
	795027			798619 
	281434S			281658S 
	281505S 4204	 		

INTEK™ PRO
1213, 1214



697029
4207

x1

697029 x4



281370S
4203

x1

281370S x5



273356S
4201

x1

273356S x5



693981

x1



398188

x1



280399S

x1



395051R
7,5m – Ø int. 6,35mm, Ø ext. 11mm

x1



281434S

x1



691038
4230

Ø 11mm x1

691038 x100



281505S
4204

x2

281505S x5



792020
7,5m – Ø int. 6,35mm, Ø ext. 13mm

x1



498144

x1



791850
4171
4229

Ø 13mm x1

791850 x5

791850 x100



692299

x1



795027

x1




790965
62m, Ø 3,2mm

x1

**798619****281658S**

Briggs & Stratton Marketing Portal



Be the point of knowledge and expertise for your customers

Visit our marketing portal to gain access to our library of images, videos, literature and web banners; all available to help boost your online presence and increase customer engagement.

www.bascomarketing.eu/briggsandstratton

POWERBUILT™ I/C® I/C® QUIET
DIAMOND™ I/C® HIGH PERFORMANCE I/C®
I/C® OHV INTEK™ OHV 28xx, 3107, 3117, 3127, 3137



496894S



4139

496894S



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm



272403S



4142

272403S



791850

Ø 13mm



4171

791850



4229

791850



298090S



4105

298090S



698183



84001895



84001895M

84001895



281370S



4203

281370S



491056



4153

491056



281505S



4204

281505S



492932S



4154

492932S



790966

62m, Ø 3.6mm



395051R

7,5m – Ø int. 6,35mm, Ø ext. 11mm



497595



691038

Ø 11mm



4230

691038



593935





695708



4194

695708



691909



493880S



692424



66538S



SERIES 3 | 3000E SERIES™
POWERBUILT™ I/C® INTEK™ 21x7, 21x8, 21x9



	794421 4213	 		791850 4171 4229	  
		 		Ø 13mm 791850 791850	  
	697292 4212	 		698183	
		 			
	591583 4269	 		281505S 4204	 
		 			Ø 13mm 791850 791850
	298090S 4105	 		790966	
		 		62m, Ø 3.6mm	
	84001895 84001895M	 		593934	
		 			
	491056 4153	 		593935	
		 			
	492932S 4154	 		695708 4194	 
		 			695708
	792020			691909	
	7,5m – Ø int. 6,35mm, Ø ext. 13mm				



692424




992242
ENGINE CARE
MODEL 21, SERIES 3 POWERBUILT™,
INTEK™ I/C OHV 21R5, 21R6, 21R7, 21R8



SERIES 4 | 4000E SERIES™
I/C® INTEK™ 31x5, 31x6, 31x7



	794422 4214	 		492932S 4154	 
	795115 4211	 		395051R 7,5m – Ø int. 6,35mm, Ø ext. 11mm	
	697015 4215	 		691038 4230	Ø 11mm  691038 
	594201 4243	 		792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm	
	797704 4259	 		791850 4171 4229	Ø 13mm  791850  791850 
	298090S 4105	 		698183	
	84001895 84001895M	 		281505S 4204	 281505S 
	491056 4153	 		790966 62m, Ø 3.6mm	



593934



691909



593935



692424



695708



66538S



493880S



992243

ENGINE CARE

MODEL 31, SERIES 4 INTEK™ I/C* OHV
31R7, 31R8, 31R9



695708

SERIES 7 INTEK™ | PROFESSIONAL SERIES™ | 7000EXI SERIES™ 40x5, 40x6, 40x7, 40x8
SERIES 8 INTEK™ | PROFESSIONAL SERIES™ | 8000EXI SERIES™ 44x5, 44x6, 44x7
SERIES 8 COMMERCIAL SERIES™ | 8000PXI SERIES™ 44T8


499486S

4223

499486S


84001895

84001895M

84001895


792101

4268

792101


491056

4153

491056


273638S

4256

273638S


492932S

4154

492932S


792105

4233

792105


395051R


7,5m – Ø int. 6,35mm, Ø ext. 11mm


792303

691038

Ø 11mm


4230

691038


798897

4250

798897


792020


7,5m – Ø int. 6,35mm, Ø ext. 13mm


594201

4243

594201


791850

Ø 13mm


4171

791850


4229

791850


298090S

4105

298090S


698183




695708



4194

695708



493880S



593935



66538S



VANGUARD™ 4,1 - 4,9 GROSS kW*
13H1, 13L1, 13H3, 13L3



 797033		 794641	
 798513		 490652	
		 4130	490652 
 792917		 790966	
		62m, Ø 3.6mm	
 395051R		 493880S	
7,5m – Ø int. 6,35mm, Ø ext. 11mm			
 691038	Ø 11mm 	 798619	
4230	691038 		
 792020			
7,5m – Ø int. 6,35mm, Ø ext. 13mm			
 791850	Ø 13mm 		
4171	791850 		
4229	791850 		

VANGUARD™ 6,0 - 7,5 GROSS kW*
19H1, 19L1, 19H2, 19L2



797032



794641



798795



490652



4130

490652



792917



790966

62m, Ø 3.6mm



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm



493880S



691038

Ø 11mm



691909



4230

691038



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm



798503



791850

Ø 13mm

4171

791850

4229

791850

VANGUARD™ 10,4 - 13,4 GROSS kW*

29x4, 29x7, 30x4, 30x7, 35x4

VANGUARD™**394018S**

x1

4135

394018S x4

**698183**

x1

**272490S**

x1

4111

272490S x6

**792020**

x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm

**84001895**

x1

84001895M

84001895 x5

**791850**

Ø 13mm x1

4171

791850 x5

4229

791850 x100

**491056**

x1

4153

491056 x12

**281370S**

x1

4203

281370S x5

**492932S**

x1

4154

492932S x12

**790967**

x1

62m, Ø 4,4mm

**842921**

x1

4237

842921 x12

**695708**

x1

4194

695708 x5

**395051R**

x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm

**493880S**

x1

**691038**

Ø 11mm x1

4230

691038 x100

**692076**

x1

VANGUARD™ 13,4 - 17,2 GROSS kW*

35x7, 38x4, 3867

VANGUARD™**692519**

x1

4232

692519 x5

**692076**

x1

**692520**

x1

4257

692520 x5

**792020**

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1

**84001895**

x1

84001895M

84001895 x5

**791850**

Ø 13mm x1

4171

791850 x5

4229

791850 x100

**491056**

x1

4153

491056 x12

**698183**

x1

**492932S**

x1

4154

492932S x12

**281370S**

x1

4203

281370S x5

**842921**

x1

4237

842921 x12

**790967**

62m, Ø 4,4mm

x1

**395051R**

7,5m - Ø int. 6,35mm, Ø ext. 11mm

x1

**695708**

x1

4194

695708 x5

**691038**

Ø 11mm x1

4230

691038 x100

**493880S**

x1



09P8020007H5YY0001

500E SERIES™

 Ø 22.2mm - 7/8"

 62mm

Primer – Flywheel Break – Light Flywheel – Lo-Tone™ Muffler



09P8020004H5YY0001

500E SERIES™

 Ø 22.2mm - 7/8"

 80mm

Primer – Flywheel Break – Light Flywheel – Lo-Tone™ Muffler



104M020045H5YY0001

675EXi SERIES™

 Ø 22.2mm - 7/8"

 62mm

Readystart™ – Band Break – Light Flywheel – Super Lo-Tone™ Muffler



104M020092H5YY0001

675EXi SERIES™

 Ø 22.2mm - 7/8"

 80mm

Readystart™ – Band Break – Light Flywheel – Super Lo-Tone™ Muffler



104M020141H5YY0001

675EXi SERIES™

 Ø 25.0mm

 80mm

Readystart™ – Band Break – Light Flywheel – Super Lo-Tone™ Muffler



0831320011F1BF7001

XR 3,5

 Ø 19.05mm - 3/4"	 61.5mm
--	--

Manual Choke – Heavy Flywheel – Lo-Tone™ Muffler



1062320272F1YY0001

XR 5,0

 Ø 19.05mm - 3/4"	 61.5mm
--	--

Manual Choke – Heavy Flywheel – Lo-Tone™ Muffler



21R8070062B5CC0001

3130E SERIES™

 Ø 25.4mm - 1"	 80mm
---	--

Choke-a-matic – Light Flywheel – Electric Start – Alt 9A – Fuel Pump



31R5070012B5CC0001

4155E SERIES™

 Ø 25.4mm - 1"	 80mm
---	--

Choke-a-Matic – Light Flywheel – Electric Start – Alt 9A – AVS*



31R9770121B5CC0001

4195EX SERIES™

 Ø 25.4mm - 1"	 80mm
---	--

Choke-a-matic – Light Flywheel – Electric Start – Alt 9A – Fuel Pump – Oil Filter – AVS*

YOU. POWERED.™

At the end of the day, a job well done is its own reward.
Our equipment is there to help make it happen. It's easy to
master, durable and ready for a challenge. Just like you.



YOU. POWERED.

A large, close-up, diagonal image of a yellow engine component, possibly a piston or connecting rod, with visible oil droplets and a metallic sheen.

uni-power

ENGINES • TRANSMISSIONS • PARTS

TEL: 01371 875331 www.uni-power.co.uk